

Motos Libertador

LINEA MANDRAKE DUE

Código	Medida	Indice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9588	80/100-14	49	L	Mandrake Due	*			*
9589	60/100-17	33	L	Mandrake Due	*		*	
9590	2.50-17	38	P	Mandrake Due	*		*	
9591	2.75-17	47	P	Mandrake Due	*			*
9592	2.50-18	40	P	Mandrake Due	*		*	
9593	2.75-18	48	P	Mandrake Due	*			*
9594	2.75-18	42	P	Mandrake Due	*		*	
9595	90/90-18	51	P	Mandrake Due	*			*



LINEA MT 55

Código	Medida	Indice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9496	80/100-14	49	L	MT 55	*			*
9497	60/100-17	33	L	MT 55	*		*	
9498	2.25-17	38	P	MT 55	*		*	
9479	2.50-17	43	P	MT 55	*		*	
9474	2.75-17	47	P	MT 55	*			*
9587	3.00-17	50	P	MT 55	*			*
9499	2.50-18	40	P	MT 55	*		*	
9491	2.75-18	42	P	MT 55	*		*	
9485	90/90-18	51	P	MT 55	*			*



LINEA MANDRAKE MT 15 - MT 39

Código	Medida	Indice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9344	80/100-14	49	L	MT 15	*			*
9379	110/80-14	59	J	MT 15		*		*
9398	80/80-16	40	J	MT 15		*	*	
9053	3.25-16	55	P	MT 15	*		*	*
9030	120/90-16	63	S	MT 15	*			*
9054	2.25-17	38	L	MT 15	*		*	
9055	2.50-17	43	L	MT 15			*	
9056	2.75-17	47	P	MT 15	*		*	*
9057	3.00-17	50	P	MT 15	*		*	*
9343	60/100-17	33	L	MT 15	*		*	
9058	2.50-18	45	L	MT 15	*		*	
9059	2.75-18	48	P	MT 15	*		*	
9345	3.00-18	52	P	MT 15	*			*



9034	4.10-18	60	S	MT 15	*			*
9060	90/90-18	57	P	MT 15	*			*
9052	2.75-18	42	P	MT 39	*		*	
9029	90/90-19	52	S	MT 39	*		*	*

LINEA CALLE MANDRAKARÚ

Código	Medida	Índice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9511	60/100-17	33	L	Mandrakaru	*		*	
9508	2.75-18	42	P	Mandrakaru	*		*	
9509	90/90-18	57	P	Mandrakaru	*			*



LINEA CALLE MT 65

Código	Medida	Índice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9061	3.25-16	55	P	MT 65	*		*	*
9038	120/90-16	63	S	MT 65		*		*
9270	2.50-17	43	P	MT 65	*			*
9303	2.75-17	47	P	MT 65	*		*	*
9062	3.00-17	50	P	MT 65	*		*	*
9370	2.75-18	42	P	MT 65	*		*	
9581	2.75-18	42	P	MT 65		*	*	*
9365	3.00-18	52	P	MT 65	*			*
9042	3.25-18	52	S	MT 65	*		*	
9045	3.50-18	56	S	MT 65		*		*
9359	3.50-18	62	P	MT 65				*
9040	90/90-18	57	P	MT 65	*			*
9530	90/90-18	57	P	MT 65		*		*
9063	100/90-18	56	P	MT 65		*		*



LINEA CITY DEMON

Código	Medida	Índice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9430	130/90-15	66	S	City Demon		*		*
9467	3.25-16	55	P	City Demon	*		*	
9431	120/90-16	63	S	City Demon		*		*
9432	130/90-16	67	S	City Demon	*			*
9433	2.25-17	38	P	City Demon	*		*	
9392	2.50-17	43	P	City Demon		*	*	
9461	2.50-17	43	P	City Demon	*			*
9377	2.75-17	47	P	City Demon	*		*	
9456	2.75-17	47	P	City Demon		*		*
9569	2.75-17	47	P	City Demon	*			*



9434	3.00-17	50	P	City Demon	*			*
9585	3.00-17	50	P	City Demon		*	*	
9435	2.50-18	40	P	City Demon	*		*	
9469	2.75-18	42	P	City Demon	*		*	
9582	2.75-18	48	P	City Demon	*			*
9458	2.75-18	48	P	City Demon		*		*
9436	3.00-18	52	P	City Demon		*		*
9526	3.00-18	47	S	City Demon	*		*	
9437	3.25-18	52	S	City Demon	*			*
9455	3.50-18	62	P	City Demon	*			*
9468	3.50-18	56	S	City Demon		*		*
9464	4.00-18	64	S	City Demon	*			*
9438	80/100-18	47	P	City Demon	*			
9439	90/90-18	57	P	City Demon	*		*	*
9440	90/100-18	54	S	City Demon		*	*	
9441	100/90-18	56	S	City Demon		*		*
9442	90/90-19	52	S	City Demon	*		*	



LINEA DURACITY								
Código	Medida	Índice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9549	80/100-14	49	L	DuraCity	*			*
9550	60/100-17	33	L	DuraCity	*		*	
9537	2.75-18	42	P	DuraCity	*		*	
9538	90/90-18	57	P	DuraCity	*			*



LINEA DURATRACTION								
Código	Medida	Índice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9539	80/100-14	49	L	DuraTraction	*			*
9540	60/100-17	33	L	DuraTraction	*		*	
9541	2.75-18	42	P	DuraTraction	*		*	
9542	90/90-18	57	P	DuraTraction	*			*



LINEA DURASPIRIT								
Código	Medida	Índice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9543	2.75-18	42	P	DuraSpirit	*		*	
9544	90/90-18	57	P	DuraSpirit	*			*



LINEA CALLE MT 75 / MT09

Código	Medida	Índice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9064	90/90-16	48	P	MT 75		*	*	
9386	100/80-16	50	T	MT 75		*	*	
9050	120/80-16	60	T	MT 75		*		*
9065	90/80-17	46	P	MT 75		*	*	
9008	100/80-17	52	H	MT 75		*	*	
9009	110/70-17	54	H	MT 75		*	*	
9360	110/80-17	57	P	MT 75		*		*
9368	110/80-17	57	S	MT 75		*		*
9066	110/80-17	57	H	MT 75		*	*	
9010	130/70-17	62	H	MT 75		*		*
9494	130/80-17	65	H	MT 75		*		*
9011	140/70-17	66	H	MT 75		*		*
9340	150/70-17	69	H	MT 75		*		*
9012	90/90-18	51	H	MT 75		*	*	
9505	80/100-18	47	P	MT 75			*	
9013	110/80-18	58	H	MT 75		*	*	*
9014	130/70-18	63	H	MT 75		*		*



LINEA ROUTE MT 66

Código	Medida	Índice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9571	130/90-15	66	S	MT 66		*		*
9256	140/90-15	70	H	MT 66		*		*
9262	150/90-15	74	H	MT 66		*		*
9376	170/80-15	77	H	MT 66		*		*
9399	180/70-15	76	H	MT 66		*		*
9261	130/90-16	73	H	MT 66		*		*
9291	140/90-16	71	H	MT 66		*		*
9290	150/80-16	71	H	MT 66		*		*
9397	150/80-16	71	H	MT 66		*	*	
9378	100/90-18	56	H	MT 66		*	*	
9426	110/90-18	61	H	MT 66		*		*
9454	120/90-18	65	H	MT 66		*	*	
9387	120/90-18	65	H	MT 66		*		*
9266	90/90-19	52	H	MT 66		*	*	
9533	3.00-19	49	H	MT 66		*	*	
9396	100/90-19	57	S	MT 66	*		*	
9255	100/90-19	57	H	MT 66		*	*	
9462	110/90-19	62	H	MT 66		*	*	
9342	80/90-21	48	H	MT 66		*	*	



LINEA SPORT DEMON

Código	Medida	Índice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9536	100/90-16	54	H	Sport Dem		*	*	
9477	120/80-16	60	V	Sport Dem		*		*
9393	100/80-17	52	H	Sport Dem		*	*	
9443	110/70-17	54	H	Sport Dem		*	*	
9394	110/80-17	57	H	Sport Dem		*	*	
9478	120/70-17	58	H	Sport Dem		*	*	
9444	120/70-17	58	V	Sport Dem		*	*	
9395	130/70-17	62	H	Sport Dem		*		*
9445	140/70-17	66	H	Sport Dem		*		*
9446	150/70-17	69	H	Sport Dem		*		*
9452	100/90-18	56	H	Sport Dem		*		*
9449	110/80-18	58	H	Sport Dem		*		*
9510	110/90-18	61	H	Sport Dem		*	*	
9453	110/90-18	61	V	Sport Dem		*	*	
9450	120/80-18	62	H	Sport Dem		*		*
9447	130/70-18	63	H	Sport Dem		*		*
9451	130/80-18	66	V	Sport Dem		*		*
9448	140/70-18	67	H	Sport Dem		*		*



PIRELLI DIABLO

9566	130/70-16	ZR		DIABLO		*	*	
9483	120/60-17	ZR		DIABLO		*	*	
9484	120/70-17	ZR		DIABLO		*	*	
9480	160/60-17	ZR		DIABLO		*		*
9567	170/60-17	ZR		DIABLO		*		*
9481	180/55-17	ZR		DIABLO		*		*
9482	190/50-17	ZR		DIABLO		*		*



LINEA RALLY CROSS MT 21

Código	Medida	Índice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9078	120/90-17	64	R	MT 21	*			*
9339	130/90-17	68	P	MT 21	*			*
9079	110/80-18	58	P	MT 21	*			*
9081	120/80-18	62	R	MT 21	*			*
9083	120/90-18	65	R	MT 21	*			*
9487	130/90-18	69	R	MT 21	*			*
9084	140/80-18	70	R	MT 21	*			*
9085	120/80-19	63	R	MT 21	*			*



9087	80/90-21	48	P	MT 21	*		*	
9089	90/90-21	54	R	MT 21	*		*	

LINEA TRAIL MT 40

Código	Medida	Indice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9067	4.60-17	62	R	MT 40	*			*
9068	5.10-17	67	T	MT 40	*			*
9073	4.00-18	64	T	MT 40	*			*
9070	4.10-18	60	R	MT 40	*			*
9072	120/80-18	62	S	MT 40	*			*
9069	90/90-18	57	P	MT 40	*			*
9074	2.75-21	45	R	MT 40	*		*	
9077	3.00-21	51	R	MT 40	*		*	
9075	70/90-21	43	P	MT 40	*		*	



LINEA DENTRO / FUERA MT 60

Código	Medida	Indice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9337	110/90-17	60	P	MT 60	*			*
9099	120/90-17	64	S	MT 60	*			*
9100	120/90-17	64	T	MT 60	*			*
9101	130/80-17	65	S	MT 60	*			*
9103	130/80-17	65	H	MT 60		*		*
9104	140/80-17	69	H	MT 60		*		*
9105	110/80-18	58	T	MT 60	*			*
9106	120/80-18	62	T	MT 60		*		*
9107	90/90-19	52	P	MT 60	*		*	
9459	90/90-19	52	T	MT 60	*		*	
9364	100/90-19	57	H	MT 60		*		*
9109	80/90-21	48	T	MT 60	*		*	
9110	90/90-21	54	S	MT 60A	*		*	
9111	90/90-21	54	H	MT 60		*	*	



LINEA SCORPION MT 90 S/T

Código	Medida	Indice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9551	120/90-17	64	S	MT 90	*			*
9525	130/80-17	65	P	MT 90		*		*
9381	130/80-17	65	S	MT 90	*			*
9534	100/90-18	56	P	MT 90		*	*	
9535	100/90-19	57	S	MT 90			*	



9385	90/90-21	54	S	MT 90	*		*	
9489	90/90-21	54	H	MT 90		*	*	



LINEA SCORPION MT 90 A/T

Código	Medida	Indice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9420	4.60-17	62	R	MT 90	*			*
9524	110/90-17	60	P	MT 90	*			*
9388	120/90-17	64	S	MT 90	*			*
9532	4.10-18	60	R	MT 90	*			*
9382	110/80-18	58	S	MT 90	*			*
9383	120/80-18	62	S	MT 90	*			*
9384	140/80-18	70	S	MT 90	*			*
9504	90/90-19	52	P	MT 90	*			
9460	2.75-21	45	R	MT 90	*		*	
9570	3.00-21	51	R	MT 90	*		*	
9389	80/90-21	48	S	MT 90	*		*	
9568	90/90-21	54	S	MT 90	*		*	



LINEA DENTRO / FUERA MT 70

Código	Medida	Indice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9092	4.10-18	60	R	MT 70	*			*
9093	110/80-18	58	R	MT 70	*			*
9095	130/80-18	66	R	MT 70	*			*
9096	2.75-21	45	R	MT 70	*		*	
9252	80/90-21	48	R	MT 70	*		*	
9097	90/90-21	54	R	MT 70	*		*	



LINEA SCORPION MX EXTRA

Código	Medida	Indice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9578	2.50-10	33	J	MX EXTRA	*		*	
9579	2.75-10	37	J	MX EXTRA	*			*
9564	80/100-12	50	M	MX EXTRA	*			*
9562	60/100-14	29	M	MX EXTRA	*			*
9565	90/100-16	51	M	MX EXTRA	*			*
9518	100/100-18	59	M	MX EXTRA	*			*
9519	110/100-18	64	M	MX EXTRA	*			*
9520	120/100-18	68	M	MX EXTRA	*			*
9522	70/100-19	42	M	MX EXTRA	*		*	
9521	100/90-19	57	M	MX EXTRA	*			*
9556	110/90-19	62	M	MX EXTRA	*			*



9575	120/90-19	66	M	MX EXTRA	*			*
9523	80/100-21	51	M	MX EXTRA	*		*	

LINEA SCORPION MX SOFT 410

Código	Medida	Indice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9555	100/90-19	57	M	MX SOFT	*			*
9465	110/90-19	62	M	MX SOFT	*			*
9545	80/100-21	51	M	MX SOFT	*		*	



LINEA SCORPION MX MIDSOFT 32

Código	Medida	Indice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9517	80/100-12	50	M	MX MIDSOFT	*			*
9557	90/100-14	49	M	MX MIDSOFT	*			*
9577	90/100-16	51	M	MX MIDSOFT	*			*
9563	70/100-17	40	M	MX MIDSOFT	*		*	
9576	70/100-19	42	M	MX MIDSOFT	*		*	
9561	100/90-19	57	M	MX MIDSOFT	*			*
9558	110/90-19	62	M	MX MIDSOFT	*			*
9546	80/100-21	51	M	MX MIDSOFT	*		*	



LINEA SCORPION MX MIDHARD 454

Código	Medida	Indice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9560	100/90-19	57	M	MX MIDHARD	*			*
9574	110/90-19	62	M	MX MIDHARD	*			*
9547	80/100-21	51	M	MX MIDHARD	*		*	



LINEA SCORPION MX HARD 486

Código	Medida	Indice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9559	100/90-19	57	M	MX HARD	*			*
9573	110/90-19	62	M	MX HARD	*			*
9548	80/100-21	51	M	MX HARD	*		*	



LINEA COMPETICIÓN MT 32

Código	Medida	Indice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9423	2.50-10			MT 320	*		*	*
9410	2.75-10	37	J	MT 320	*		*	*
9414	80/100-12	50	M	MT 320	*		*	*
9415	90/100-14	49	M	MT 320	*			*



9234	100/100-18	NHS		MT 320	*			*
9235	110/100-18	NHS		MT 320	*			*
9236	100/90-19	NHS		MT 320	*			*
9237	110/90-19	NHS		MT 320	*			*
9238	80/100-21	51	R	MT 320	*		*	
9332	110/100-18	NHS		MT 32	*			*
9122	130/80-19	67	M	MT 32	*			*
9409	2.50-10	33	J	MT 32A	*			



LINEA HARD CROSS MT 46 / 480

Código	Medida	Indice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9129	110/90-18	NHS		MT 46	*			*
9131	120/80-19	NHS		MT 46	*			*
9132	130/80-19	NHS		MT 46	*			*
9306	100/90-19	NHS		MT 480	*			*



NEA SCOOTER SC30 / SL 26 / 36 / 38 / ST66 / SL

Código	Medida	Indice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9135	2.75-10	37	J	SC 28	*		*	*
9136	3.00-10	50	J	SC 28	*		*	*
9137	3.50-10	59	J	SC 28	*		*	*
9308	100/90-10	56	J	SC 28	*		*	*
9134	3.00-10	42	J	SC 30			*	*
9248	3.50-10	51	J	SC 30			*	*
9325	3.00-10	50	J	SL 26		*	*	*
9374	3.50-10	59	J	SL 26		*	*	*
9249	100/80-10	53	J	SL 26		*	*	*
9258	110/80-10	58	J	SL 26		*	*	*
9307	90/90-10	50	J	SL 26		*	*	*
9139	100/90-10	56	J	SL 26		*	*	*
9257	120/90-10	66	J	SL 26		*	*	*
9326	130/90-10	61	J	SL 26		*	*	*
9327	120/70-12	51	L	SL 26		*	*	*
9328	130/70-12	56	L	SL 26		*	*	*
9292	130/60-13	53	L	SL 26		*	*	*
9380	120/70-11	50	L	SL 36		*	*	
9427	130/70-11	60	L	SL 36		*		*



9583	120/70-10	54	L	SL 38		*	*	
9428	130/70-10	59	L	SL 38		*	*	*
9429	130/70-10	59	P	ST 66		*	*	*
9528	120/70-14	55	P	ST 66		*		
9140	120/90-10	57	J	SL 60		*	*	*
9531	130/90-10	61	J	SL 60		*	*	*
9586	120/90-10	57	L	SL 90		*	*	*



LINEA SCOOTER HIGH SPEED EVO / GTS

Código	Medida	Indice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9500	120/70-12	51	L	EVO 21		*		
9503	120/70-13	53	L	EVO 21		*		
9529	120/70-14	55	P	EVO 21		*		
9527	130/60-13	53	L	EVO 22		*		
9584	140/70-14	62	L	EVO 22		*		
9463	120/70-12	51	P	GTS 23		*		
9391	110/90-12	64	P	GTS 23		*		
9572	130/70-12	56	P	GTS 23		*		
9514	110/90-13	55	P	GTS 23		*		
9457	120/70-14	55	P	GTS 23		*		
9554	120/70-15	56	P	GTS 23		*		
9580	110/70-16	52	P	GTS 23		*		
9553	150/70-14	66	S	GTS 24		*		



LINEA CICLOMOTOR ML 12 / ML 14 / ML 75

Código	Medida	Indice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9329	80/80-14	43	J	ML 12	*		*	*
9141	2.1/4-14	35	J	ML 12	*		*	*
9145	2.3/4-14	43	J	ML 12	*		*	*
9142	2.1/4-16	38	J	ML 12	*		*	*
9143	2.1/2-16	42	J	ML 12	*		*	*
9144	2.1/4-17	39	J	ML 12	*		*	*
9293	2.3/4-16	36	J	ML 14	*		*	*
9147	2.1/2-16	42	J	ML 75	*		*	*
9148	2.3/4-16	46	J	ML 75	*		*	*
9330	2.50-17	43	J	ML 75	*		*	*



LINEA CUATRICICLO RUT BUSTER

Código	Medida	Indice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9902	20x7-8	NHS		RUT BUSTER		*	*	
9901	22x11-8	NHS		RUT BUSTER		*		*
9900	23x8-11	NHS		RUT BUSTER		*	*	



LINEA CUATRICICLO RACE RAIL

Código	Medida	Indice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9903	20x11-9	NHS		RACE RAIL		*		*
9904	20x11-10	NHS		RACE RAIL		*		*



LINEA CUATRICICLO MUD WISER

Código	Medida	Indice		Diseño	C/C	S/C	Del.	Tras
		Carg.	Vel.					
9905	25x8-12	NHS		MUD WISER		*	*	
9906	25x11-10	NHS		MUD WISER		*		*



CAMARAS PARA MOTO

Código	Diseño	Medidas
9506	MA 12	80/100-12
9552	MB 14	90/100-14; 110/80-14
9212	MB 16	300/650-16; 110/80-90; 100/90-80; 90/100-16
9213	MC 16	120/80-16; 120/90-16; 130/90-15
9214	MD 16	130/140-16; 140/90-15; 150/90-15
9215	MA 17	275/375-17; 90/80; 100/80; 70/100-17
9216	MC 17	400/460-17; 120/70; 130/70; 120/80; 120/90-17
9217	MD 17	5.10-17; 140; 150; 160/70; 130; 140/80-17
9218	MA 18	250/325-18; 100/80; 90/90-18
9219	MB 18	350/400-18; 120; 130/70; 110/80; 100/90; 90/100-18
9221	MD 18	400/510-18; 140/70; 120; 130; 140/80; 110; 130/90-18
9222	MA 19	275/300-19; 90/90-19
9223	MC 19	100; 110; 120/80; 100/90-19
9224	MA 21	250/300-21; 70; 80; 90/90; 80/100-21
9272	21 B 18	400-18; 450-18; 5.10-18 REFOR. (CROSS COMP)
9273	21 B 19	100/80-19; 140/80-19 REFOR. (CROSS COMP)
9274	10 B 21	300-21 REFOR. (CROSS COMP)
9406	MH 14	80/100-14

9407	MH 17	225-17; 60/100-17
9507	MH 19	2.50-19; 70/100-19

CAMARAS PARA SCOOTER

Código	Diseño	Medidas
9225	9 C 10	2.75-10
9226	10 C 10	2,75/3,50-10; 100/80; 100/90; 120/90-10

CAMARAS PARA CICLOMOTOR

Código	Diseño	Medidas
9228	6 M 14	2 1/4-14
9230	6 E 16	2 1/4-16
9231	7 A 16	2 1/4; 2 1/2; 2 3/4-16
9229	7 A 17	2 1/4; 2 1/2; 2 3/4-17
9232	7 A 19	2.50-19; 70/100-19

